


Seleccionar “Session” y luego “Configure”



Seleccionar “ Configure” nuevamente

Session Configuration

Connection

3270 Emulation

Spell Checking

Communications Library

Connection Type:

Microsoft SNA Server

Renex Async Protocol

TN3270 / TN3270E

IBM Communications Server

IntranetWare for SAA

Configure...

☐ Use Custom LUA-RUI Compliant Dynamic Link Library:

Browse...

LU Name:

Options

☒ Auto-Connect Session

☐ Auto-Reconnect Session (when Deactivated by Host) in

0 secs

☐ Prompt on Disconnect

☐ Auto-Close Session on Disconnect

☐ Connect Retry:

Retry up to

3

 times, retrying every





10 secs

Aceptar

Cancelar

Aplicar

La primera conexión es la primaria (BZSRVR1) y la segunda Backup (BZSRVR2). Seleccíonen y editen cada una de ellas.



Modifiquen los Host basados en los siguientes parámetros

Tcp port 5001 - Primary Host Address: Webwizprod.avis.com	Backup Host Address: Webwizprod1.avis.com
Tcp port 5002 - Primary Host Address: Webwizprod1.avis.com	Backup Host Address: Webwizprod2.avis.com
Tcp port 5003 - Primary Host Address: Webwizprod.avis.com	Backup Host Address: Webwizprod1.avis.com
Tcp port 5005 - Primary Host Address: Webwizprod2.avis.com	Backup Host Address: Webwizprod3.avis.com

IMPORTANTE: LUEGO DE DAR OK Y ACEPTAR NO OLVIDEN IR A

